

DIMENSIONS

TYPE	KVA	EPD NO	S1V	S1A	S2V	S2A	DUTY CYCLE	FREQ	PHASE	PRIMARY V	STYLE	WEIGHT	NOTES	H	W	D	MD	MW
FILAMENT	0.075	LT31089	6	10			CCS	60	1	120	4	8		4.50	3.75	3.10	2.50	3.00
FILAMENT	0.11	T21910	10.OCT	10			CCS	60	1	210/220/230/240	2	4		3.30	3.00	4.00	3.00	2.50
FILAMENT	0.15	LT31081	5	30			CCS	60	1	240	2	15		3.75	3.13	3.00	3.13	2.75
FILAMENT	0.213	LT31125	15.2	15			CCS	60	1	110/120	2	8		3.50	4.25	2.80	2.38	3.44
FILAMENT	0.225	LT31043	15CT	15			CCS	60	1	120	2	9		4.00	4.50	4.50	3.75	3.00
FILAMENT	0.234	LT31206	5	45	90	0.1	CCS	60	1	120/240	4	7		4.13	3.44	2.16	2.60	2.75
FILAMENT	0.29	LT31045		7.2			CCS	60	1	277/230	2	7		3.75	4.50	3.50	3.75	2.50
FILAMENT	0.3	LT31059	15	20			ICAS	60	1	120	2	19		3.40	3.13	3.75	3.13	3.00
FILAMENT	0.3	LT31139	5CT	60			CCS	60	1	120	2	8.5		4.50	4.50	4.00	3.00	3.75
FILAMENT	0.315	T21909	12.6CT	25			CCS	60	1	210/220/230/240	2	10		5.50	5.25	4.00	2.87	4.38
FILAMENT	0.355	LT31072	5CT	60			CCS	60	1	240	2	10		5.25	4.38	3.50	4.38	2.94
FILAMENT	0.412	LT31126	7.5CT	55			CCS	60	1	230/240	2	12		5.25	5.25	3.60	2.87	4.38
FILAMENT	0.412	LT31143	7.5CT	55			CCS	60	1	115/120	2	12		6.00	5.25	3.60	2.87	4.38
FILAMENT	0.4125	LT31033	7.5CT	55			CCS	60	1	220/240	2	20		5.25	5.25	3.60	2.87	4.38
FILAMENT	0.413	LT31102	7.5CT	55			CCS	60	1	120/240	2	12		6.00	5.25	3.60	2.87	4.38
FILAMENT	0.512	LT31187	16CT	32			CCS	60	1	120	2	12		4.50	4.00	3.75	3.50	3.75
FILAMENT	0.56	LT31133	7CT	80			CCS	60	1	120/240	2	20		7.00	6.00	4.80	3.63	5.38
FILAMENT	0.562	LT31106	7.5CT	75			CCS	60	1	120/240	2	16		5.00	5.25	4.00	3.12	4.38
FILAMENT	0.562	LT31161	7.5CT	75			CCS	60	1	210/220/230/240	2	20		3.75	4.50	6.75	5.50	3.75
FILAMENT	0.63	LT31037	7CT	90			CCS	60	1	220	2	15		5.25	5.25	4.50	3.62	4.38
FILAMENT	0.75	LT31032	7.5CT	100			CCS	60	1	240	2	19		7.50	5.25	5.25	4.16	4.38
FILAMENT	0.75	LT31082	7.5CT	100			CCS	60	1	240+/-10	2	19		5.25	5.25	4.38	4.16	4.38
FILAMENT	0.75	LT31105	7.5CT	100			CCS	60	1	240+/-10	2	19		5.25	5.25	4.38	4.16	4.38
FILAMENT	0.75	LT31128	7.5CT	100			CCS	60	1	125/134	2	19		4.40	5.25	5.25	4.16	4.38
FILAMENT	0.75	LT31171	7.5CT	100			CCS	60	1	120/240	2	19		5.25	5.25	4.38	4.38	4.16
FILAMENT	0.825	LT31027	7.5CT	110			CCS	50/60	1	110/220	2	20		7.00	5.25	5.40	4.62	4.38
FILAMENT	0.825	LT31170	7.5CT	110			CCS	60	1	230/240	2	19		5.25	4.38	5.25	4.38	4.18
FILAMENT	0.9	LT31198	7.5CT	120			CCS	60	1	230/240/250	2	19		4.38	5.25	5.25	4.38	4.16
FILAMENT	1	LT31107	6.3CT	160			CCS	60	1	230/240/250	2	27		5.32	6.38	5.50	3.87	5.31
FILAMENT	1	LT31204	6.3VCT	160			CCS	60	1	110/120	2	27		6.38	5.50	5.50	5.32	5.31
FILAMENT	1.102	LT31172	6.3 VCT	175			CCS	60	1	230/240/250	4	27		6.38	5.50	5.50	5.31	5.32
FILAMENT	1.102	LT31192	6.3CT	175			CCS	60	1	230/240/250	2	27		6.38	5.32	5.50	5.37	3.87
FILAMENT	1.2	LT31127	7.5CT	160			CCS	60	1	240	2	27		6.30	6.40	5.50	4.13	5.31
FILAMENT	1.24	LT31055	15	80			ICAS	60	1	120	2	19		5.25	5.25	4.38	4.16	4.38
FILAMENT	2.3	LT31066	15.4	150			ICAS	60	1	240	2	33		6.50	6.75	4.16	4.16	6.13

DIMENSIONS

TYPE	KVA	EPD NO	S1V	S1A	S2V	S2A	DUTY CYCLE	FREQ	PHASE	PRIMARY V	STYLE	WEIGHT	NOTES	H	W	D	MD	MW
PLATE	0.281	LT31096	500	0.5		6.3 @5A	CCS	60	1	120	2	8		3.75	4.50	3.70	3.00	3.75
PLATE	0.522	LT31122	100VCT	0.2	78VCT	2		60	1	120	2	9		4.50	3.75	4.00	3.75	2.50
PLATE	0.6	LT31095	1200	0.5			CCS	60	1	120	2	15		5.25	5.25	4.50	3.62	4.40
PLATE	0.655	LT31158	1060	0.5	12V/2A	6.3V@16A	CCS	60	1	120/240	2	24	DENTRON, CLIPP-L	4.30	5.75	5.50	4.62	4.94
PLATE	0.683	LT31159	1200	0.5	5.2V/15A	10.5V@0.5A	CCS	60	1	120/240	4	21	HEATH SB-1000	5.30	4.40	5.50	4.63	3.50
PLATE	0.732	LT31104	6.3CT	12	1000	0.5	CCS	60	1	120	2	18		5.25	5.25	4.38	4.38	4.10
PLATE	0.758	LT31168	950	0.7	5VCT / 9V	15 / 2	CCS	60	1	117/234	4	11		5.25	4.38	4.00	3.50	2.87
PLATE	0.865	LT31184	1370	0.5			CCS	60	1	115 HI / LO	7	16		4.75	4.75	3.50	2.50	3.62
PLATE	1.12	LT31094	1600	0.70			CCS	60	1	120	7	18		7.50	8.50	7.50	3.50	6.00
PLATE	1.17	LT31152	1171	1			ICAS	60	1	117/234	7	22	Heath SB-221 HI/LO	7.50	7.00	7.50	3.50	5.00
PLATE	1.44	LT31205	3600	0.4			ICAS	60	1	230 +/- 10	7	23		7.00	6.00	6.25	5.50	4.50
PLATE	1.65	LT31088	1650	1.00			ICAS	60	1	120	4	27		6.38	5.31	5.30	4.13	4.25
PLATE	1.75	LT31193	1750	1	1450/1300		ICAS	60	1	220/240	5	23		7.00	5.30	6.50	4.50	5.00
PLATE	1.8	LT31179	1800	1			ICAS	60	1	120	4	25		7.00	6.00	5.80	3.50	5.00
PLATE	2	LT31186	2000	1			CCS	60	1	220/240	7	32		9.00	7.50	6.50	3.50	6.00
PLATE	2.056	LT31197	2570	0.8			CCS	60	1	120/220/240	7	36		7.37	6.25	5.04	3.63	4.79
PLATE	2.1	LT31200	4200	0.5			ICAS	60	1	120/240	7	32		8.00	7.50	8.00	6.00	6.50
PLATE	2.2	LT31194	2200	1			ICAS	60	1	220/240	7	35		8.50	7.50	8.50	6.50	6.00
PLATE	2.25	LT31145	4500CT	0.5			CCS	60	1	120	4	35		5.31	7.00	6.38	5.13	4.25
PLATE	2.29	LT31195	6320VCT	0.35	245	0.35	CCS	60	1	115/230	4	60	COLLINS 30S-1	7.50	9.00	4.75	5.75	4.00
PLATE	2.3	LT31211	15.7	150				60	1	120/240	2	33		6.75	5.63	6.00	4.16	6.13
PLATE	2.34	LT31116	6320CT	0.35		365 @0.35A	CCS	60	1	115/230	4	55	COLLINS 30S-1M	9.00	7.50	5.50	4.75	5.87
PLATE	2.475	LT31203	1650	1.5			ICAS	60	1	220/240	7	28		8.50	4.50	7.50	6.00	3.50
PLATE	2.5	LT31173	2500	1			ICAS	60	1	120/240	7	32		8.50	6.40	8.50	6.40	6.00
PLATE	2.75	LT31146	2200	1.25	2000		CCS	60	1	120/240	7	43		8.50	9.00	8.00	4.82	5.50
PLATE	2.8	LT31071	2800	1			ICAS	60	1	240 +/-10	7	43		8.50	9.00	8.00	4.00	5.50
PLATE	2.8	LT31076	2800	1			ICAS	60	1	200,220,240	7	43		8.00	7.00	6.50	5.78	6.78
PLATE	2.94	LT31100	2450	1.2			ICAS	60	1	120/240	7	13		8.50	9.00	8.25	4.00	6.50
PLATE	3	LT31064	1500	2			CCS	60	1	120/240	7	63		9.50	10.00	8.20	4.13	7.00
PLATE	3	LT31080	3000	1			CCS	60	1	240+/-10	7	60		10.00	10.00	8.25	4.13	7.00
PLATE	3.1	LT31040	3100	1			CCS	60	1	120	7	60		9.50	10.00	8.12	6.00	7.00
PLATE	3.2	LT31132	1600	2			CCS	60	1	120/240	7	60		9.50	10.00	8.12	6.00	7.00
PLATE	3.3	LT31113	2200	1			ICAS	180	3	15	8	24		7.75	7.50	4.50	3.50	5.40
PLATE	3.3	LT31063	380VY	5				60	3	220VD	8	55		11.00	9.30	6.60	8.30	5.60
PLATE	3.45	LT31119	2300	1.5	1900	1600	ICAS	60	1	220/240	7	43		8.50	9.00	8.00	4.00	5.50

DIMENSIONS

TYPE	KVA	EPD NO	S1V	S1A	S2V	S2A	DUTY CYCLE	FREQ	PHASE	PRIMARY V	STYLE	WEIGHT	NOTES	H	W	D	MD	MW
PLATE	3.6	LT31174	1800	2			ICAS	60	1	230/240	7	43		8.00	8.50	9.00	8.00	6.50
PLATE	3.6	LT31191	1800	2			ICAS	60	1	220/240	7	43		9.00	7.00	5.00	5.50	4.00
PLATE	3.725	LT31039	3725				CCS	60	1	235/245	2	65		7.50	6.25	10.00	6.87	5.50
PLATE	3.75	LT31075	2500	1.5		2200	ICAS	60	1	240 +/--10	7	43		8.50	9.00	8.00	4.00	5.50
PLATE	4	LT31118	4000	1	2800	2100	CCS	60	1	230/240	4	80		10.50	8.00	9.25	6.25	7.00
PLATE	4.35	LT31165	2900	1.5	2600		CCS	60	1	230/240	7	66		10.00	8.00	8.15	7.00	4.13
PLATE	4.8	LT31185	2800	1.5			CCS	60	1	220/240	7	60		10.00	9.50	10.00	7.00	8.50
PLATE	4.8	LT31058	3200	1.5			ICAS	60	1	220/240	7	82		11.00	9.38	9.00	4.87	8.00
PLATE	4.8	LT31138	3200	1.5			CCS	60	1	220/230/240	7	82		10.50	11.00	9.00	4.87	8.00
PLATE	4.8	LT31134	4800	1			CCS	60	1	240	2	82		10.00	9.00	9.00	7.00	5.87
PLATE	5	LT31202	2000	2.5			ICAS	60	1	220/240	7	60		10.00	9.00	10.00	7.00	7.50
PLATE	5	LT31015	115/230				CCS	60	1	230/460	2	56		9.00	8.25	6.50	7.62	7.50
PLATE	5.4	LT31144	3600	1.5			ICAS	60	1	220/240	7	64		10.00	10.00	8.12	4.13	7.00
PLATE	5.5	LT31196	2900	1.9	2900		ICAS	60	1	220/240	7	65		10.00	10.00	10.00	8.50	7.00
PLATE	5.875	LT31156	1171/925	5			CCS	60	1	117/234	2	82	HI/LO	11.00	9.00	5.87	4.85	8.00
PLATE	6.00	LT31061	4000	1.5		3200	CCS	60	1	120/240	7	110		12.00	14.00	7.50	3.50	7.00
PLATE	7.5	LT31051	4500	1.5			CCS	60	1	235/245	7	110		11.25	10.50	7.00	5.50	10.00
PLATE	8.0	LT31087	4000	2.0		3400	CCS	60.0	1	240	7	110		12.00	12.00	7.50	5.75	7.00
PLATE	8.25	LT31077	2750	3			ICAS	60	1	240	4	86		11.00	8.75	8.38	4.38	7.00
PLATE	8.28	LT31201	3600	2.3	3400,2600/2400	1800	ICAS	60	1	220/240	7	95		11.00	9.00	5.87	4.62	8.00
PLATE	8.6	LT31183	4300	2	2850		ICAS	60	1	220/230/240	7	88		11.00	9.00	9.00	8.00	5.87
PLATE	9	LT31117	4500	2		3500	CCS	60	1	220/230/240	7	121		12.00	12.00	7.50	5.75	7.00
PLATE	9.45	LT31190	4200	2.25			CCS	60	1	230 +/-- 10	7	121		12.00	10.50	7.00	5.75	7.50
PLATE	9.6	LT31086	4800	2.00		4400	ICAS	60	1	230/240/250	7	112		12.00	12.00	10.00	5.75	7.00
PLATE	9.6	LT31091	4800	2.00	3800	2800/2000	CCS	60	1	220/240	7	130		12.00	12.00	10.00	5.75	7.00
PLATE	10	LT31053	62	162			CCS	60	1	390/410/430	2	120		10.00	12.00	7.00	4.00	8.00
PLATE	10	LT31180	4000	2.5	3500		CCS	60	1	220/240	7	120		10.00	12.00	10.50	5.75	7.00
PLATE	10.8	LT31177	3600	3			CCS	60	1	240	7	120		10.00	10.50	12.00	5.75	7.00
PLATE	13	LT31048	4000	3.25			CCS	60	1	220/240	7	145		14.00	12.38	10.00	9.00	5.75
PLATE	13.5	LT31153	4500	3	4000/3500/3000		CCS	60	1	220/240	2	18		12.00	10.75	13.00	10.00	6.50
PLATE	14	LT31078	7000	2		5000	CCS	60	1	240+/--10	7	180		14.50	16.00	10.00	6.00	10.00
PLATE	15	LT31208	5000	3	4600/4200		CCS	60	1	220/240	2	150		8.50	14.00	10.00	7.00	9.00
PLATE	16	LT31142	4000	4	3500		CCS	60	1	240	7	190		16.00	14.50	10.00	6.00	10.00
PLATE	16.5	LT31065	5500	3			CCS	60	1	240	7	260		16.00	20.00	10.00	6.00	14.00
PLATE	17.5	LT31025	5000	3.5			CCS	60	1	220/240	7	250		16.00	8.00	13.00	10.00	6.00

DIMENSIONS

TYPE	KVA	EPD NO	S1V	S1A	S2V	S2A	DUTY CYCLE	FREQ	PHASE	PRIMARY V	STYLE	WEIGHT	NOTES	H	W	D	MD	MW
PLATE	20	LT31101	5000	4	4800	3800/2800	CCS	60	1	220/240	7	280		15.50	18.00	12.00	6.00	12.00
PLATE	20.8	LT31149	5200	4	2000		CCS	60	1	220/240	7	230		18.00	15.50	12.00	6.00	12.00
PLATE	22	LT31070	6800 CT	3.23			CCS	60	1	240/480	7	280		16.50	18.00	12.00	6.00	12.00
PLATE	25	LT31099	5000	5		4200	CCS	60	1	240	7	320		16.50	21.00	14.00	6.00	15.00
PLATE	25	LT31112	5000	5			CCS	60	1	240	7	320		16.00	21.00	14.00	6.00	15.00
PLATE	25	LT31164	5000	5	4000		CCS	60	1	220/240	2	320		21.00	15.00	8.00	6.00	14.00
PLATE	28	LT31199	5600	5	4800 / 4600		CCS	60	1	220/240	7	320		21.00	16.12	9.00	15.00	14.50
PLATE	30	LT31074	6000	5		5000	CCS	60	1	240+/-10	7	360		18.25	21.00	12.50	6.00	15.00
PLATE	32.5	LT31098	6500	5			CCS	60	1	220/240	7	420		18.00	21.00	14.00	7.00	15.00
PLATE	32.5	LT31140	6500	5	5500/5000		CCS	60	1	230/240/250	7	360		18.00	21.00	13.00	6.00	15.00
PLATE	36	LT31038	6000	6		4500	CCS	60	1	240	7	410		18.00	21.00	14.00	7.00	15.00
PLATE	36	LT31162	6000	6	5500/5000		CCS	60	1	220/240	7	410		20.00	16.50	9.00	7.00	14.00
PLATE	39	LT31163	6000	6.5	5500 / 5000		CCS	60	1	220/240	4	410		20.00	16.50	14.00	9.00	14.00
PLATE	39	LT31154	6500				CCS	60	1	220/240	7	410		18.00	21.00	14.00	7.00	15.00